

**PENENTUAN KADAR RBB PADA SENYAWA
INULIN-RBB SECARA HPLC**

Minda Azhar, Budhi Oktavia, Yustini Ma’aruf, Khairani dan Devita Efri

Jurusan Kimia Fakultas Matematika Ilmu Pengetahuan Alam Universitas Negeri Padang
Jl. Prof.Dr. Hamka. Air Tawar. Padang 25131
E-mail: minda@fmipa.unp.ac.id

ABSTRACT

Inulin-RBB is a compound that used for screening of inulinase bacteria. Formation of inulin-RBB compounds in the mass variation of inulin and the reaction temperature and the determination of RBB concentration in inulin-RBB has been carried out. Determination of RBB concentration in inulin-RBB on the HPLC using an ODS C18 column, λ 592 nm, mobile phase ethanol-water (60:40) and flow rate 1 mL/min. RBB concentration of inulin-RBB in the mass variation of inulin (2 g, 4 g and 6 g) which was reacted with 0.5 g of RBB at 50°C is 4.74%, 23.14%, and 38.54%, respectively. RBB concentration of inulin-RBB in the reaction with 0.5 g of inulin 4 g of RBB at the reaction temperature variations (40, 50 and 60 ° C) is 18.86%, 23.14%, 9.40%, respectively.

Key words: RBB, inulin-RBB, inulin, HPLC

DAFTAR PUSTAKA

1. Franck, Anne; Leenheer, Leen De. “Inulin”. Email: ann.franck@orafit.com. Diakses 25 Maret (2003).
2. E. Ricca, V. Calabro, S. Curcio, G. Iorio, The state of the art in the production of fructose from inulin enzymatic hydrolysis. *Critical Reviews in Biotechnology*. Jul-sep 129-145, (2007).
3. XL Yuan, C. Goosen, H. Kools, Maarel, MJEC; Hondel, CAMJJ; Dijkhuizen, L; Ram, AFJ., Database mining and transcriptional analysis of genes eccoding inulin-modifying enzymes of *Aspergillus niger*. *Microbiology*, 152:3061-3073 (2006).
4. EY Tohamy, Purification and characterization of exoinulinase enzyme from *Sterptomyces grisenus*. *Pakistan Journal of Biological Sciences* 9(5):911-916 (2006).
5. P. Simanjuntak, J. Rachmat, N. Rosalinda, Tumbuhan Indonesia Sebagai Sumber Inulin, *Alchemy*, 3(1) 8-14 (2004).
6. T.I Ruo, Z. Wang, M.S. Dordal, A.J. Atkinson, Assay of inulin in biological fluids by high-performance liquid chromatography with pulsed amperometric detection, *Clinica Chimica Acta*, 204(1-3) 217-222 (1991).
7. R.D. Amico, G. Montini, L. Pisanello, G. Piovesan, S. Bottaro, A.T. Cracco, G. Zacchello, F. Zacchello, Determination of inulin in plasma and urine by reversed-phase high-performance liquid chromatography, *Journal of Chromatography B*, 672 (1) 155-159 (1995).
8. R. Marsilio, M. Naturale, P. Manghi, G. Montini, L. Murer, M. Ros, G. Bisogno, B. Andretta, N. Dussini, G. Giordano, G. Zacchello, R.D. Amico, Rapid and simple determination of inulin► in biological fluids by high-performance liquid chromatography with light-scattering detection, *Journal of Chromatography B*, 744 (2) 241-247 (2000).
9. A. uleta, M.E. Sambucetti, Inulin Determination for Food Labeling, *J. Agric. Food Chem.*, 49 (10) 4570–4572 (2001).

10. N.F. Andyani, Produksi Sirup Fruktosa dari Inulin *Dahlia Pinata* Cav secara Hidrolisis Asam. *Skripsi*. Fakultas Teknologi Pangan IPB. Bogor, (2001).
11. G.R. Castro, M.D. Baigori, F. Sineriz, A plate technique for screening of inulin degrading microorganism. *Journal of Microbiological Methods* 22:51-56 (1995).
12. J.E. Brady, General Chemistry Principles and Structure. New York: John Wiley and Sons, (1990).