**PERBANDINGAN KOMPOSISI KIMIA MINYAK ATSIRI KULIT BUAH JERUK
SUNDAI (*CITRUS JHAMBIRI LUSH*) SEGAR DAN KERING YANG DIPEROLEH
SECARA DESTILASI**

Sovia Lenny

Departemen Kimia FMIPA USU Medan

ABSTRACT

Essential oils was isolated from peels sundai orange (*Citrus jhambiri Lush*) by destilation. Product was characterized by GC-MS. The product research show content essential oil of fresh peels are 1.260% and dried peels are 1.312%. Limonen content as major component of fresh peels are 58.49% and dried peels are 55.80%.

Keyword : *Citrus jhambiri Lush, essential oil, limonen*

DAFTAR PUSTAKA

1. Heyne, K., 1987, Tumbuhan berguna Indonesia, Jilid III, Cetakan ke-1, Badan penelitian dan Pengembangan Hutan, departemen Kehutanan, Diterjemahkan oleh Badan Litbang Kehutanan, Jakarta.
2. Ketaren, S., 1985, Pengantar teknologi Minyak Atsiri, Penerbit Balai Pustaka, Jakarta..
3. Spencer, J.S., Dowd, E., dan Faas, W., 1997, The Genuiness of Two Mint Essential Oils, Perfumer & Flavorist, 22: 37-45.
4. Guenthre,E., 1987, Minyak atsiri, Jilid I Penerjemah S, Ketaren, UI Press, Jakarta.
5. Pino, J.A., Garcia, J., dan Martinez, M.A., 1997, Solvent Extraction and Supercritical carbon Dioxide of Lippia albau (Mill), N.E.Brown Leaf, J.Essent. Oil Res., 9,(3): 341-343.